



**NOTES:**

1. Drawing in millimetres unless noted otherwise.
2. Tree pits are used to promote the healthy growth of trees within paved areas.
3. Length and Width (W and L) of tree island to be determined based on soil volume required for the tree. To be confirmed as per design or by council instructions. Size varies to suit existing road widths, parking areas and vehicle turning conditions.
4. Trees are to be of good form, health, structure and free of pests and disease. Tree species to be chosen in collaboration with the City of Port Phillip.
5. Planter surround may be cast-in-place or precast concrete (CPP1201) or bluestone (CPP1203).
6. Concrete kerb can be substituted for pre-cast kerb lintel to allow for passive irrigation.
7. Where excavation will occur, contractor must conduct a Dial Before You Dig ([www.1100.com.au](http://www.1100.com.au)).

A APPROVED FOR USE		DEC 2020
No	Revision	Date

**Disclaimer:**

The authors and sponsoring organisations shall have no liability or responsibility to the user or any other person or entity with respect to any liability, loss or damage caused or alleged to be caused, directly or indirectly, by the adoption and use of these Standard Drawings including, but not limited to, any interruption of service, loss of business or anticipatory profits, or consequential damages resulting from the use of these Standard Drawings. Persons must not rely on these Standard Drawings as the equivalent of, or a substitute for, project-specific design and assessment by an appropriately qualified professional.



DRAWING NOT TO SCALE		Drawing Title <b>TREE PIT IN ROAD TRAFFIC ISLAND</b>
Approved	Project Services	
Date	Dec. 2020	Original Size <b>A3</b> Drawing No: <b>CPP3303</b>
		Rev: <b>A</b>